

# LED FLOOD LIGHT

**ARES series**

**160LM/W  
LED**



## Feel The New Space !!

- We are committed to providing you with newest and technologically advanced concepts available. We produce the most energy-efficient, money saving, providing you with the newest LED lighting the market !
- We are proud to offer you our exclusive, Super-High Brightness, 160 LM/W LED Flood Light fixture !
- Best Energy Efficiency, Best Quality, GUARANTEED LOWEST PRICE !

**50W**

**30W**

**20W**

**IP65**



# FEATURES



160 LM/W LED  
UNIQUE SMD PACKAGE



Professional Enterprise Quality at an UNBEATABLE PRICE!

Equipped with toughened glass,  
good retraction performance and more safety

IP65



LM-79  
LM-80



Energy-saving 60%



## TOUGHENED GLASS

- With high light transmission
- Unbreakable and more safety



LED Lighting Designs Australia Pty Ltd

Address: 1/13 Watson Rd Padstow 2211 NSW. Phone: (0

Website: [www.ledlightingdesigns.com.au](http://www.ledlightingdesigns.com.au)

Email: [info@ledlightingdesigns.com.au](mailto:info@ledlightingdesigns.com.au)

▶ IP65






## 160 LM/W LEDs

- High-brightness SMD with unique designed

# GOOD HEAT DISSIPATION TECHNIQUES



Our radiator is specifically designed with special material that dissipates an enormous amount of heat very quickly.


The radiator controls the temperature of lamp, under **55°C** through heat conduction, heat convection, heat radiation. It allows the LED chips to achieve its highest performance, lower light decay, and long-lifespan.

# SPECIFICATION




Model	Power	Voltage	Power factor	Light color	Luminous	CCT	CRI	D	W	H
LLD-CFS20W	20W	100-240V	>0.95	Warm white	3000 LM	2700-3300K	75	115mm	51mm	170mm
				Pure white	3100 LM	3800-4600k				
				Cool white	3160 LM	5500-6500K				
LLD-CFS30W	30W	100-240V	>0.95	Warm white	4500 LM	2700-3300K	75	158mm	58mm	224mm
				Pure white	4650 LM	3800-4600k				
				Cool white	4740 LM	5500-6500K				
LLD-CFS50W	50W	100-240V	>0.95	Warm white	7500 LM	2700-3300K	75	175mm	60mm	233mm
				Pure white	7750 LM	3800-4600k				
				Cool white	7900 LM	5500-6500K				


20W




30W




50W




## 20W



## 30W



## 50W



## APPLICATIONS:

- Advertising Board
- Highway
- Public Square
- Building
- Bridge

